

Bureau of Health Care Quality & Compliance

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: NVS4138AGZ	(X2) MULTIPLE CONSTRUCTION A. BUILDING _____ B. WING _____	(X3) DATE SURVEY COMPLETED 03/13/2009
NAME OF PROVIDER OR SUPPLIER SILVERWOOD CARE HOME		STREET ADDRESS, CITY, STATE, ZIP CODE 3527 BRONCO BUSTER COURT N LAS VEGAS, NV 89032		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
Y 000	Initial Comments This Statement of Deficiencies was generated as a result of the Bed Increase survey conducted at your facility on March 13, 2009. This State Licensure survey was conducted by the authority of NRS 449.150, Powers of the Health Division. The facility is currently licensed as a residential facility for groups to provide care for 6 elderly or disabled persons, Category 2 Residents. The facility has submitted an application requesting a bed increase for a total of 9 residents. The findings and conclusions of any investigation by the Health Division shall not be construed as prohibiting any criminal or civil investigations, actions or other claims for relief that may be available to any party under applicable federal, state, or local laws. The following deficiencies were identified:	Y 000		
Y 300 SS=D	449.218(1) Bedrooms - Size Requirements NAC 449.218 1. A bedroom in a residential facility that is shared by two or three residents must have at least 60 square feet of floor space for each resident who resides in the bedroom. A resident may not share a bedroom with more than two other residents. A bedroom that is occupied by only one resident must have at least 80 square feet of space. This Regulation is not met as evidenced by: Based on observation and interview, the facility	Y 300		

If deficiencies are cited, an approved plan of correction must be returned within 10 days after receipt of this statement of deficiencies.

TITLE

(X6) DATE

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

Bureau of Health Care Quality & Compliance

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: NVS4138AGZ	(X2) MULTIPLE CONSTRUCTION A. BUILDING _____ B. WING _____		(X3) DATE SURVEY COMPLETED 03/13/2009
NAME OF PROVIDER OR SUPPLIER SILVERWOOD CARE HOME			STREET ADDRESS, CITY, STATE, ZIP CODE 3527 BRONCO BUSTER COURT N LAS VEGAS, NV 89032		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE	
Y 300	Continued From page 1 failed to provide sufficient bedroom space for 9 residents. Findings include: The facility is currently licensed to provide care for 6 residents. The facility has requested a bed increase for a total of 9 residents. On 3/13/09 in the morning, the measurements of the bedrooms were as follows: Bedroom #1 (designated for 2 residents):129.97 square feet; Bedroom #2 (designated for 2 residents): 128.08 square feet; Bedroom #3 (designated for 2 residents): 92.06 square feet; Bedroom #4 (designated for 3 residents): 264.32 square feet; Bedroom #5 (designated for the live-in caregiver): 126.5 square feet. The square footage in Bedroom #3 was not sufficient for 2 residents. The facility only has sufficient bedroom space for a total of 8 residents. Severity: 2 Scope: 1	Y 300			
Y 410 SS=D	449.227(1) Accommodations for Residents NAC 449.227 A residential facility with a resident who uses a wheelchair or walker shall: 1. Have hallways, doorways and exits wide	Y 410			

If deficiencies are cited, an approved plan of correction must be returned within 10 days after receipt of this statement of deficiencies.

Bureau of Health Care Quality & Compliance

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: NVS4138AGZ	(X2) MULTIPLE CONSTRUCTION A. BUILDING _____ B. WING _____		(X3) DATE SURVEY COMPLETED 03/13/2009
NAME OF PROVIDER OR SUPPLIER SILVERWOOD CARE HOME			STREET ADDRESS, CITY, STATE, ZIP CODE 3527 BRONCO BUSTER COURT N LAS VEGAS, NV 89032		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE	
Y 410	<p>Continued From page 2</p> <p>enough to accommodate a wheelchair or walker.</p> <p>This Regulation is not met as evidenced by: Based on observation and interview, the facility failed to ensure all doorways were wide enough to accommodate a wheelchair.</p> <p>Findings include:</p> <p>On 3/13/09 in the morning, the doorway to Bathroom #1 was measured 29 inches in width. (The actual measurement of access to the bathroom was measured at 27 inches in width with the door's hinge.) The exterior door to Bathroom #1 was in deteriorated condition and covered with black scuff marks and large holes.</p> <p>Based on interview with the primary caregiver and the administrator, the scuff marks and holes on the exterior of the bathroom door were due to a resident with an electric wheelchair/scooter who has had difficulty getting into Bathroom #1. (The width of the scooter measured 28 inches.)</p> <p>Severity: 2 Scope: 1</p>	Y 410			

If deficiencies are cited, an approved plan of correction must be returned within 10 days after receipt of this statement of deficiencies.